

## Sauna Product Options

A comprehensive list of all Thermory Sauna Products



# DIY SAUNA KITS

SPECIES:

Spruce




USE:

Interior  
Exterior





Natural Barrel Sauna No60  
Photo: ThisLife, Bela Fishbeyn  
Fairview, North Carolina





Natural Barrel Sauna No60  
Photo: ThisLife, Bela Fishbeyn  
Fairview, North Carolina

## NATURAL BARREL




	MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH	OUTSIDE DIAMETER	INSIDE DIAMETER	BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	N°60	4	Window	7.33'	7.52'	7.25'	5' x 2.08'	7' x 3.5'	1.58'	1.57"	212 CU. FT.
	N°61	4	No Window	7.33'	7.52'	7.25'	5' x 2.08'	-	1.58'	1.57"	212 CU. FT.
	N°62	6	Window	7.33'	7.52'	7.25'	6.5' x 2.08	7' x 3.5'	No Porch	1.57"	265 CU. FT.
	N°63	6	No Window	7.33'	7.52'	7.25'	6.5' x 2.08	-	No Porch	1.57"	265 CU. FT.
	N°50	6	Window	7.33'	6.29'	6.06'	6.38' x 1.63'	5.83' x 3'	No Porch	1.57"	199.5 CU. FT.
	N°51	6	No Window	7.33'	6.29'	6.06'	6.38' x 1.63'	-	No Porch	1.57"	199.5 CU. FT.

## NATURAL BARREL

	MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		OUTSIDE DIAMETER	INSIDE DIAMETER	BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	N°52	4	Window	5.9'		6.29'	6.06'	4.95' x 1.63'	5.83' x 3'	No Porch	1.57"	154.3 CU. FT.
	N°53	4	No Window	5.9'		6.29'	6.06'	4.95' x 1.63'	-	No Porch	1.57"	154.3 CU. FT.
	N°54	2	Window	4.88'		6.29'	6.06'	3.94' x 1.63'	5.83' x 3'	No Porch	1.57"	124.3 CU. FT.
	N°55	2	No Window	4.88'		6.29'	6.06'	3.94' x 1.63'	-	No Porch	1.57"	124.3 CU. FT.





	MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH		OUTSIDE DIAMETER	INSIDE DIAMETER	BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	N°60	4	Window	7.33'		7.52'	7.25'	5' x 2.08'	7' x 3.5'	1.58'	1.57"	212 CU. FT.
	N°62	6	Window	7.33'		7.52'	7.25'	6.5' x 2.08'	7' x 3.5'	No Porch	1.57"	265 CU. FT.
	N°52	4	Window	5.9'		6.29'	6.06'	4.95' x 1.63'	5.83' x 3'	No Porch	1.57"	154.3 CU. FT.
	N°54	2	Window	4.88'		6.29'	6.06'	3.94' x 1.63'	5.83' x 3'	No Porch	1.57"	124.3 CU. FT.

## SQUARE SQUARE

	MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH	TOTAL WIDTH	TOTAL HEIGHT	BACK BENCH SIDE BENCH L x W	WINDOW SIZE	PORCH LENGTH	WALL/BOARD THICKNESS	VOLUME
	N°40	6	Window	8.24'	6.9'	7.21'	Back 6.5' x 1.61' Side 4.3' x 1.61'	6.3' X 3.2'	1.61'	1.57"	241 CU. FT.
	N°41	6	No Window	8.24'	6.9'	7.21'	Back 6.5' x 1.61' Side 4.3' x 1.61'	-	1.61'	1.57"	241 CU. FT.
	N°42	4	Window	6.93'	6.9'	7.28'	Back 6.5' x 1.61' Side 2.9' x 1.61'	6.3' X 3.2'	1.61'	1.57"	191 CU. FT.
	N°43	4	No Window	6.93'	6.9'	7.28'	Back 6.5' x 1.61' Side 2.9' x 1.61'	-	1.61'	1.57"	191 CU. FT.
	N°45	1-2	No Window	4.63'	4.4'	7.28'	-	-	No Porch	1.57"	98 CU. FT.


## MOD POD

POWERED BY SUPERIOR SAUNA & STEAM

	MODEL	OCCUPANCY	WINDOW	TOTAL LENGTH	TOTAL WIDTH	TOTAL HEIGHT	EXTERIOR	INTERIOR	BENCH	CEILING	DOOR
	MODERN - SOCIAL	6-8	Corner Windows	8.25'	6.25'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> <li>• Thermo-Pine</li> <li>• Black Hardware</li> <li>• Clear Glass</li> </ul>
	MODERN - ATHLETIC	6-8	Side Windows	8.25'	6.25'	8.04'	Ignite Spruce 1 x 6 C24 Brushed	Thermo-Alder 1 x 4 STS4	Thermo-Alder 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> <li>• Thermo-Pine</li> <li>• Black Hardware</li> <li>• Clear Glass</li> </ul>
	TRADITIONAL - SOCIAL	6-8	Corner Windows	8.25'	6.25'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> <li>• Thermo-Pine</li> <li>• Black Hardware</li> <li>• Clear Glass</li> </ul>
	TRADITIONAL - ATHLETIC	6-8	Side Windows	8.25'	6.25'	8.04'	Kodiak Spruce 1 x 8 C15	Thermo-Spruce 1 x 4 STS4	Thermo-Spruce 5/4x4 SHP	Thermo-Spruce 1 x 4 STS4 Brushed Black	<ul style="list-style-type: none"> <li>• Thermo-Pine</li> <li>• Black Hardware</li> <li>• Clear Glass</li> </ul>



Ignite Barrel Sauna No62  
Photo: Idyll Reserve  
Hocking Hills, Ohio



Ignite Barrel Sauna No62  
Photo: Idyll Reserve  
Hocking Hills, Ohio



Sauna Square No40



Natural Barrel Sauna No60  
Photo: ThisxLife, Bela Fishbeyn  
Fairview, North Carolina

# SAUNA MATERIALS

**SPECIES:**

Natural Alder  
 Natural Aspen  
 Medium Alder  
 Medium Aspen  
 Medium Magnolia  
 Intense Alder  
 Intense Spruce

**USE:**

Interior





Walls & Benches, Medium Aspen  
 Photo: Elvo Jakobson  
 Private Home, Estonia

## SAUNA<sup>®</sup> MATERIALS by THERMORY<sup>®</sup>

### Wall Paneling

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
5/4 X 3 NATURAL ALDER STEP	Alder	1.06" x 2.5"	2.2"	6' - 10'	None	Smooth	Staple
1 X 5 NATURAL ALDER STS4	Alder	.59" x 4.7"	4.4"	6' - 10'	None	Smooth	Staple
1 X 5 NATURAL ALDER STS4 BRUSHED	Alder	.59" x 4.7"	4.4"	6' - 10'	None	Brushed	Staple
1 X 4 NATURAL ALDER STS4	Alder	.59" x 3.5"	3.2"	6' - 10'	None	Brushed	Staple
1 X 5 NATURAL ASPEN STS4	Aspen	.59" x 4.7"	4.4"	6' - 10'	None	Smooth	Staple
1 X 4 ALDER STS4 (JEM)	Alder	.59" x 3.5"	3.2"	6' - 10'	Medium	Smooth	Staple

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
1 X 5 ALDER STS4	Alder	.59" x 4.7"	4.4"	6' - 10'	Medium	Smooth	Staple
5/4 X 3 ASPEN STEP	Aspen	1.06" x 2.5"	2.2"	6' - 10'	Medium	Smooth	Staple
1 X 4 ASPEN STS4	Aspen	.59" x 3.5"	3.2"	6' - 10'	Medium	Smooth	Staple
1 X 5 ASPEN STS4	Aspen	.59" x 4.7"	4.4"	6' - 10'	Medium	Smooth	Staple
1 X 4 ASPEN KYTE	Aspen	.59" x 3.4"	3.1"	6' - 10'	Medium	Smooth	Staple
1 X 4 ASPEN VIRE	Aspen	.59" x 3.5"	3.1"	6' - 10'	Medium	Smooth	Staple
5/4 X 3 ASPEN WAVE	Aspen	1.1" x 2.6"	2.2"	6' - 10'	Medium	Smooth	Staple
*SPECIAL ORDER* 1 X 4 ASPEN STF TILES	Aspen	.59" x 3.2"	3.0"	11.50" or 22.75"	Medium	Smooth	Staple
*SPECIAL ORDER* 1 X 4 ASPEN SRP	Aspen	.59" x 3.1"	2.8"	6' - 10'	Medium	Smooth	Staple
1 X 6 MAGNOLIA STS10	Magnolia	.56" x 5.7"	5.4"	6' - 10'	Medium	Smooth	Staple
1 X 7 MAGNOLIA STS10	Magnolia	.56" x 6.7"	6.4"	6' - 10'	Medium	Smooth	Staple

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION	
	1 X 5 ALDER STS4	Alder	.59" x 4.7"	4.4"	6' - 10'	Intense	Smooth	Staple
	1 X 4 SPRUCE STS4	Spruce	.59" x 3.5"	3.2"	6' - 10'	Intense	Smooth	Staple

# SAUNA<sup>®</sup>

MATERIALS by THERMORY<sup>®</sup>

## Bench Boards

PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION	
	1 X 4 NATURAL ALDER SHP	Alder	.83" x 3.5"	3.5"	6' - 10'	None	Smooth	40mm FG Screws
	5/4 X 4 NATURAL ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' - 10'	None	Smooth	40mm FG Screws
	5/4 X 4 NATURAL ASPEN SHP	Aspen	1.1" x 3.5"	3.5"	6' - 10'	None	Smooth	40mm FG Screws
	5/4 X 4 ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' - 10'	Medium	Smooth	40mm FG Screws
	1 X 4 ASPEN SHP	Aspen	.83" x 3.5"	3.5"	6' - 10'	Medium	Smooth	40mm FG Screws
	5/4 X 4 ASPEN SHP	Aspen	1.1" x 3.5"	3.5"	6' - 10'	Medium	Smooth	40mm FG Screws
	5/4 X 8 MAGNOLIA SHP	Magnolia	1.1" x 7.3"	7.3"	6' - 10'	Medium	Smooth	40mm FG Screws
	5/4 X 4 ALDER SHP	Alder	1.1" x 3.5"	3.5"	6' - 10'	Intense	Smooth	40mm FG Screws
	5/4 X 4 SPRUCE SHP	Spruce	1.01" x 3.5"	3.5"	6' - 10'	Intense	Smooth	40mm FG Screws



Walls, Bench, Ceiling: Intense Alder  
 Photo: Elvo Jakobson  
 Private Home, Estonia

# READY-MADE ELEMENTS

SPECIES:

Natural Alder  
Medium Aspen







USE:








Interior

Bench & Backrest: Alder  
Photo: Allan Lepikson  
Private Home, Estonia.

**SAUNA**<sup>o</sup>  
MATERIALS by THERMORY®







## Sauna Elements

PRODUCT	SPECIES	THICKNESS / HEIGHT	WIDTH	LENGTH	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 <b>ALDER BENCH MODULE</b>	Alder	Height - 5.5	19.7" - 23.6"	63" - 94.5"	None	Smooth	Screw
 <b>ASPEN BENCH MODULE</b>	Aspen	Height - 5.5	19.7" - 23.6"	63" - 94.5"	Medium	Smooth	Screw
 <b>ALDER CORNER BENCH MODULE</b>	Alder	Height - 5.5	19.7" - 23.6"	19.7" - 23.6"	None	Smooth	Screw
 <b>ASPEN CORNER BENCH MODULE</b>	Aspen	Height - 5.5	19.7" - 23.6"	19.7" - 23.6"	Medium	Smooth	Screw
 <b>ALDER BACKREST</b>	Alder	Thickness - 1.1	11.8"	80.7"	None	Smooth	Screw
 <b>ASPEN BACKREST</b>	Aspen	Thickness - 1.1	11.8"	80.7"	Medium	Smooth	Screw





PRODUCT	SPECIES	THICKNESS / HEIGHT	WIDTH	LENGTH	MODIFICATION STRENGTH	TEXTURE	INSTALLATION
 <b>ALDER BENCH SKIRT</b>	Alder	Thickness - 0.55	11.8"	94.5"	None	Smooth	Screw
 <b>ASPEN BENCH SKIRT</b>	Alder	Thickness - 0.55	11.8"	94.5"	Medium	Smooth	Screw
 <b>ASPEN FLOORGRID</b>	Aspen	Thickness - 0.55	31.5"	35.4"	Medium	Smooth	Screw
 <b>ASPEN ADJUSTABLE VENTILATION GRILLE</b>	Aspen	-	5.2"	11.1"	Medium	Smooth	Screw
 <b>ASPEN VENTILATION FIXED GRILLE</b>	Aspen	-	5.9"	7.5"	Medium	Smooth	Screw
 <b>ASPEN MOVEABLE BENCH</b>	Aspen	Thickness - 0.55	15.7"	27.6"	Medium	Smooth	-
 <b>ASPEN HEADREST</b>	Aspen	Thickness - 3.8"	11"	13.2"	Medium	Smooth	-






PRODUCT	SPECIES	DIMENSIONS	COVERAGE	LENGTHS	MODIFICATION STRENGTH	TEXTURE	INSTALLATION	
	1 X 1.5 ALDER T	Alder	.67" x 1.26"	-	6' - 10'	None	Smooth	Nail
	1 X 1 ALDER SI	Alder	.59" x .71"	-	6' - 10'	None	Smooth	Nail
	1 X 1 ALDER SHP	Alder	.83" x .83"	-	6' - 10'	None	Smooth	Nail
	1 X 1.5 ASPEN T	Aspen	.67" x 1.26"	-	6' - 10'	Medium	Smooth	Nail
	1 X 1 ASPEN SI	Aspen	.59" x .71"	-	6' - 10'	Medium	Smooth	Nail
	1 X 1 ASPEN SHP	Aspen	.83" x .83"	-	6' - 10'	Medium	Smooth	Nail



PRODUCT	SPECIES	USE	THICKNESS X WIDTH	HEIGHT	MODIFICATION STRENGTH	GLASS COLOR	HARDWARE	
	ASPEN PREMIUM DOOR	Aspen	Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Medium	Clear	Silver
	ASPEN BLACK PREMIUM DOOR	Aspen	Interior Sauna	3.6" x 27.2"	74.4" - 78.3"	Medium	Gray	Black
	2 X 6 ASPEN BLACK WINDOW	Aspen	Interior Sauna	3.6" x 19.3"	74.4"	Medium	Gray	Screw
	2 X 3 ASPEN BLACK WINDOW	Aspen	Interior Sauna	3.6" x 19.3"	35.0"	Medium	Gray	Screw



Walls: Thermo-Aspen SRP & Natural Aspen STP  
Benches: Natural Aspen  
Photo: Elvo Jakobson




Walls: STS4. Benches: Benchmark Ash  
 Design: Anne Määrmann. Photo: Karl Kasepöld

# ACCESSORIES & CARE PRODUCTS



Natural Barrel Sauna No62  
 Photo: Molly Milroy  
 Asheville, North Carolina

PRODUCT	NAME	TYPE	USE
	<b>HALU B.V. HEADREST</b>	Natural Aspen	Sauna Headrest
	<b>HALU B.V. BACKREST</b>	Natural Aspen	Sauna Backrest
	<b>HUUM SAUNA STONES</b>	Olivine Diabase Rocks	HUUM Drop & Hive Mini Heaters
	<b>ACCESORIES PACK</b>	Bucket, Ladle, Sand Timer, Temperature Gauge	Adding Water, Temperature, Timing
	<b>SUPI SAUNAVAHA SAUNA WAX</b>	Clear Wax	Sauna Benches, Paneled Walls And Ceilings, Doors & Window Frames.
	<b>SUPI SAUNAVAHA SAUNA WAX</b>	Black Wax	Sauna Benches, Paneled Walls And Ceilings, Doors & Window Frames.
	<b>SUPI SAUNAVAHA SAUNA CLEANER</b>	Sauna Cleaning Detergent	For Saunas & Other Wet Rooms

# Heat. Steam. Cool. Done.

Thermal modification is a chemical-free process that gives you the beauty of real wood, naturally enhanced with only heat and steam for unequaled strength and stability—even in changing weather conditions. And, with greater insulating properties compared to unmodified wood, our wood is never too hot on your feet.

# The right wood. The right way.

We source all our wood using responsible forestry practices, never laying a finger on our tropical woodlands and rainforests. And wood is the only naturally renewable building material that doesn't generate hazardous waste. So, when you choose Thermory, you're not just investing in quality, but in the health of our planet too.



The mark of responsible forestry



## Thermory USA - Buffalo

56 Harvester Ave. Ste. 1-201  
Batavia, NY 14020  
585-591-6590

Support@ThermoryUSA.com  
SaunaHelp@ThermoryUSA.com

Last updated: March 2025  
All previous versions are null and void.

→ [Sauna.ThermoryUSA.com](https://Sauna.ThermoryUSA.com)



**THERMORY**  
LEAVE A LASTING IMPACT